

INTERNATIONAL MARITIME ORGANIZATION
4 ALBERT EMBANKMENT
LONDON SE1 7SR

Telephone: 020 7587 3152
Fax: 020 7587 3210



IMO

E

Ref. T4/3.01

MSC/Circ.1178
25 May 2005

UNIFIED INTERPRETATIONS OF SOLAS REGULATIONS XII/4.2 AND XII/5.2

1 The Maritime Safety Committee, at its eightieth session (11 to 20 May 2005), with a view to providing more specific guidance on vague language contained in IMO instruments which is open to different interpretations, approved the unified interpretations of SOLAS regulations XII/4.2 and XII/5.2, as set out in the annex.

2 Member Governments are invited to use the annexed unified interpretations as guidance when applying relevant provisions of SOLAS chapter XII to bulk carrier construction, for ships constructed on or after 1 July 2006, and to bring the unified interpretations to the attention of all parties concerned.

ANNEX

UNIFIED INTERPRETATIONS OF SOLAS REGULATIONS XII/4.2 AND XII/5.2

Regulation XII/4.2 – Damage stability requirements applicable to bulk carriers

Only cargo holds the double side-skin space of which does not meet the specified dimension need to be considered flooded.

Regulation XII/5.2 – Structural strength of bulk carriers

Only cargo holds the double side-skin space of which does not meet the specified dimension need to be considered flooded.
